

## **OZONE TREATMENT PROTOCOL NEUROSENSORY FOR HYPOACUSIA**

**Copyright © Aepromo, April 2016**

**All rights reserved**

**Nota Bene:** The protocols are working guidelines that AEPROMO puts at the disposition of its members, expecting that they will be references in the daily medical work whenever ozone therapy is used on patients.

It shall correspond to the health professional (physician, dentist, veterinarian, podiatrist in the areas for which their profession and current legislation allows it) to whom compete, with their studies, knowledge and experience to assume professionally how to apply ozone therapy to their patients. Although these protocols are referents and guidelines for its members AEPROMO invites them to base their daily practice on these protocols.

The protocols are based on the Madrid Declaration Ozone Therapy, ISCO3, 2nd. ed., 2015, 50 pages.  
<http://aepromo.org/en/madrid-declaration-on-ozone-therapy-2nd-edition/>

The content of the protocols and the items that they cover are subject of improvement based on the medical experience and scientific investigation. AEPROMO calls all its members to help to improve the protocols with their contributions, suggestions, experience and knowledge.

### **FOR ADULTS**

#### **Major Autohemotherapy (AHTmajor) in 100ml of blood**

week of Treatment	O3Concentration ( $\mu\text{g}/\text{NmL}$ )	O3 Volume ( mL)	Doses (mg)
First	5	50	0.25
Second	10	100	1.0
Third	15	110	1.6
Fourth	18	110	1.9
Fifth	20	125	2.5

To complete 15 sessions.

**AEPROMO**

Colegio de Médicos de Madrid  
Casilla 46, C/ Santa Isabel 51  
28012, Madrid (España)

**CIF: G85531903**

Tel/Fax (+34) 913515175

Móvil (+34) 669685429

[info@aepromo.org](mailto:info@aepromo.org)

[www.aepromo.org](http://www.aepromo.org)

### Minor Autohemotherapy (AHTMinor) in 5ml of blood

week of Treatment	O3 Concentration (µg/NmL)	O3 Volume (mL)	Doses (mg)
First	5	5	0.025
Second	10	5	0.05
Third	15	5	0.75
Fourth	18	5	0.09
Fifth	20	5	0.1

To complete 15 sessions.

### Rectal Route

week of Treatment	O3 Concentration (µg/NmL)	O3 Volume (mL)	Doses (mg)
First	15	100	1.5
Second	18	120	2.1
Third	20	150	3.0
Fourth	20	200	4.0

Daily frequency, till complete 20 sessions, repeat cycle each 4 months.

### FOR CHILDREN (only by rectal route)

#### According to age

Age: 5 months-11 months

### Rectal Route

week of Treatment	O3 Concentration (µg/NmL)	O3 Volume (mL)	Doses (mg)
First	15	15	0.22
Second	18	15	0.27
Third	20	20	0.4
Fourth	20	20	0.4

Daily frequency, till complete 20 sessions, repeat cycle each 4 months.

Age: 1 year-3 years

**Rectal Route**

week of Treatment	O3 Concentration (µg/NmL)	O3 Volume (mL)	Doses (mg)
First	15	20	0.3
Second	18	30	0.54
Third	20	30	0.6
Fourth	20	35	0.7

Daily frequency, till complete 20 sessions, repeat cycle each 4 months.

Age: 4 years-10 years

**Rectal Route**

week of Treatment	O3 Concentration (µg/NmL)	O3 Volume (mL)	Doses (mg)
First	15	70	1.05
Second	18	100	1.8
Third	20	120	2.4
Fourth	20	120	2.4

Daily frequency, till complete 20 sessions, repeat cycle each 4 months.

Age: 11 años-15 years

**Rectal Route**

week of Treatment	O3 Concentration (µg/NmL)	O3 Volume (mL)	Doses (mg)
First	15	70	1.05
Second	18	100	1.8
Third	20	120	2.4
Fourth	20	120	2.4

Daily frequency, till complete 20 sessions, repeat cycle each 4 months.